

REPORT NO.
C21138-70010

A & L Canada Laboratories Inc.



ACCOUNT NUMBER

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

TO: OKANAGAN PLANT PRODUCTS LTD - (DIABLO NUTRIENTS)
1945 KIRSHNER RD
KELOWA, BC V1Y 4N7

CERTIFICATE OF ANALYSIS

PAGE: 3 / 4

PROJECT NO:
PO#:
LAB NUMBER: 1387021
SAMPLE ID: BLASTER

SAMPLE MATRIX: SOLID
DATE SAMPLED: NONE GIVEN
DATE RECEIVED: 2021-05-18
DATE REPORTED:
DATE PRINTED: 2021-05-26

PARAMETER	RESULT	UNIT	DETECTION LIMIT	METHOD REFERENCE
Arsenic	BDL	ug/g	1.0	EPA 3050B/6010B(mod) *
Barium	4.19	ug/g	1.00	EPA 3050/6010 (mod)*
Beryllium	BDL	ug/g	1.00	EPA 3050/6010 (mod)*
Cadmium	BDL	ug/g	1.00	EPA 3050B/6010B(mod) *
Cobalt	BDL	ug/g	1.00	EPA 3050/6010 (mod)
Chromium	1.05	ug/g	1.00	EPA 3050/6010 (mod)
Copper	2.92	ug/g	1.00	EPA 3050/6010 (mod)*
Mercury	BDL	ug/g	0.10	EPA 7471 *
Molybdenum	BDL	ug/g	1.0	EPA 3050/6010 (mod)*
Nickel	BDL	ug/g	1.00	EPA 3050/6010 (mod)
Lead	BDL	ug/g	1.00	EPA 3050B/6010B(mod) *
Potassium	6580.00	ug/g	5.00	EPA 3050/6010 (mod)*
Selenium	BDL	ug/g	1.00	EPA 3050/6010 (mod)*
Phosphorus	134.05	ug/g	5.00	EPA 3050/6010 (mod)*
Aluminum	23.89	ug/g	5.00	EPA 3050/6010 (mod)*
Strontium	7.18	ug/g	1.00	EPA 3050/6010 (mod)*
Boron	2.12	ug/g	1.00	EPA 3050/6010 (mod)*
Calcium	3076.00	ug/g	5.00	EPA 3050/6010 (mod)*
Iron	115.25	ug/g	5.00	EPA 3050/6010 (mod)*
Magnesium	324.55	ug/g	5.00	EPA 3050/6010 (mod)*
Manganese	6.14	ug/g	1.00	EPA 3050/6010 (mod)*
Vanadium	1.08	ug/g	1.00	EPA 3050/6010 (mod)*
Sodium	547.00	ug/g	1.00	EPA 3050/6010 (mod)*

Results reported on a dry weight basis

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C21138-70010

Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca

Additional information available upon request

This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis does not carry with it the right to reproduction or publication in whole or in part, nor may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claim shall be advanced against A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.